

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


shared applications client write

Search

About 263,000 results (0.45 seconds)

[Advanced search](#)

Everything

More

[Show search tools](#)**Desktop Sharing: Use Free**

Sponsored link

[www.webex.com/desktopsharing](http://www.webex.com/desktopsharing)Easy To Use Desktop **Sharing** Tool. Use For Free!  
Get Started Quickly.**Intel Create & Share Software**

2 posts - 1 author - Last post: Jun 19, 2003

Anyone know of a source for Xp Update software for Intels Camera, Intel Create & **Share** Software .. Intel has discontinued this product and ...[www.softwaretipsandtricks.com/.../4290-intel-create-share-software.html](http://www.softwaretipsandtricks.com/.../4290-intel-create-share-software.html) - Cached - Similar**Linux NFS Client Write Performance**However, client O/S caching moderates the performance of **application** read requests on the **client**; **writes** reflect network efficiencies and latencies more ...[www.citi.umich.edu/projects/nfs.../write-throughput.html](http://www.citi.umich.edu/projects/nfs.../write-throughput.html) - Cached - Similar**WikiAnswers - Where can you download Intel's Create and Share ...**Answer Search for Create & **Share** at the Intel website [www.intel.com](http://www.intel.com) if you ... and**Applications** > Video Editing > Where can you download Intel's Create and ...[wiki.answers.com/.../Where\\_can\\_you\\_download\\_Intel's\\_Create\\_and\\_Share\\_software\\_for\\_webcams](http://wiki.answers.com/.../Where_can_you_download_Intel's_Create_and_Share_software_for_webcams)

- Cached - Similar

**Server Message Block - Wikipedia, the free encyclopedia**Client computers may want access to the **shared** file systems and printers on the server ...When an **application** opens in "**shared** mode" a file hosted on an SMB server ... itsexclusive OpLock to allow the other **client's write/read** access. ...[en.wikipedia.org/wiki/Server\\_Message\\_Block](http://en.wikipedia.org/wiki/Server_Message_Block) - Cached - Similar**Intel Create & Share Software Upgrade - Tech Support Guy Forums**

7 posts - 4 authors - Last post: Jun 30, 2004

... software download for the intel create & **share** software for the pocket pc camera. ...**Application** Error - Bad memory or someth . ... The problem I have is I can't locate it now and last time I didn't **write** it down. ...[forums.techguy.org](http://forums.techguy.org) > ... > All Other Software - Cached - Similar**File Sharing Applications - Google Talk for Developers - Google Code**For a **client**, it creates an HttpClient object, loops through the list of files ... used to readto/from a local file; MemoryStream is used to read/**write** to RAM; ... The file **share** example**application** uses HTTP to request and send files ...[code.google.com/apis/talk/libjingle/file\\_share.html](http://code.google.com/apis/talk/libjingle/file_share.html) - Cached - Similar**Linux NFS faq**When the **application** closes the file, the NFS **client writes** back any pending ..... Thecorrect way to update executables and **shared** libraries on your NFS ...[nfs.sourceforge.net/](http://nfs.sourceforge.net/) - Cached - Similar**Installing and Executing Shared Applications in Shared Folders ...**This avoids any **write** conflicts to the shared folder 14 when the **clients** are executing**shared applications** 12 from the shared folders 14. [0027]FIG. ...[www.faqs.org/patents/app/20080256532](http://www.faqs.org/patents/app/20080256532) - Cached**Avrom's Java EE and Oracle ADF Blog :: Shared Application Module ...**I **write** the method on SharedModuleImpl (the **application** module class for SharedModule).I don't bother adding this to a **client** interface; the **client** is ...[www.avromroyfaderman.com/.../shared-application-module-instance-tricks-part-i-service-methods/](http://www.avromroyfaderman.com/.../shared-application-module-instance-tricks-part-i-service-methods/) - Cached - Similar**Top 20 Best Peer to Peer P2P File Sharing Programs and Applications**

Sep 14, 2008 ... Piolet is the 3rd generation peer-to-peer file sharing **client**. This is considerably new p2p file **sharing application**/Website and it has ...  
www.blogsdna.com/.../top-20-best-peer-2-peer-p2p-file-sharing-programs-applications-software.htm - Cached - Similar

1 2 3 4 5 6 7 8 9 10

[Next](#)

shared applications client write

Search

[Search within results](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼
[Sign in](#)

Google scholar

shared applications local copy

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

Scholar

Articles and patents

☐ anytime☐ include citations☒ Create email alert

Results 1 - 10 of about 718,000. (0.18 sec)

Updating **local copy** of **shared** data in a collaborative system

SA Bly, JD Hodges, MD Kupfer, BT Lewis, ML ... - US Patent ... 1993 - Google Patents  
 Page 1. US005220657A United States Patent Bly et al. [ii] Patent Number: [45] Date of Patent:  
 5,220,657 Jun. 15, 1993 [54] UPDATING LOCAL COPY OF SHARED DATA IN A ... [21] Appl. No.:  
 685,361 [22] Filed: Apr. 15, 1991 Related US **Application** Data [62] Division of Ser No. ...  
 Cited by 109 - [Related articles](#)

Treadmarks: Distributed **shared** memory on standard workstations and operating systems

psu.edu [PDF]

P Keleher, AL Cox, S Dworkadas, W ... - Proceedings of the 1994 ... 1994 - [usenix.org](#)  
 ... diffs, because they maintain enough consistency information to reconstruct valid pages from the  
**local** (out-of ... and the rate of diff creation between the eager and lazy version of the five **applications**. ...  
 at each release, because all processors have copies of most of the **shared** data. ...  
 Cited by 892 - [Related articles](#) - [All 52 versions](#)

[PDF] Avocado: A distributed virtual reality framework

psu.edu [PDF]

H Tramberend - Proceedings of the IEEE Virtual Reality, 1999 - CiteSeer  
 ... Avocado provides programmers with the concept of a **shared** scene-graph, accessible from  
 all processes forming a distributed **application**. Each process owns a **local copy** of the scene  
 graph and the contained state information, which is kept synchronized. ...  
 Cited by 319 - [Related articles](#) - [View as HTML](#) - [All 18 versions](#)

Replicated architectures for **shared** window systems: A critique

JD Lawlers, TA Joseph, KA Lantz, AL ... - ACM SIGOIS ... 1990 - [portal.acm.org](#)  
 ... 2 Motivations for **Application** Replication The main advantage of **application** replication  
 is performance. Response time is better than in a centralized system because each user  
 always receives output from a **local copy** of **shared applications**. ...  
 Cited by 112 - [Related articles](#) - [All 2 versions](#)

Algorithms implementing distributed **shared** memory

M Stumm, S Zhou - Computer, 1990 - [ieeexplore.ieee.org](#)  
 ... Distributed **shared** memory is often used to support parallel **applications** in which multiple threads  
 of execution may be in progress ... Hence, if a data access in- volves one or more remote sites, the  
 mes- sage-processing costs on both the **local** and remote site(s) are included. ...  
 Cited by 249 - [Related articles](#) - [All 7 versions](#)

DistView: Support for building efficient collaborative **applications** using replicated objects

psu.edu [PDF]

A Prakash, HS Shim - Proceedings of the 1994 ACM conference on ... 1994 - [portal.acm.org](#)  
 ... the interface objects of Window 1 is made at site B. A **local copy** of **application** ... Proxy object is  
 the only one that directly communicates with an **application** or interface ... REPLICATION AND  
 SYNCHRONIZATION Proxy objects DistView synchronizes the states of **shared** windows so ...  
 Cited by 192 - [Related articles](#) - [All 9 versions](#)

MMConf: an infrastructure for building **shared** multimedia **applications**

T Crowley, P Milazzo, E Baker, H Forsdick ... - Proceedings of the ... 1990 - [portal.acm.org](#)  
 ... Centralized architectures must struggle even to adapt to minor discrepancies in display geometry  
 or color maps. 3. Easy Site-specific Interaction. With a replicated architecture, new **applications**  
 can easily perform **local** interactions in the **shared** environment. ...  
 Cited by 312 - [Related articles](#) - [All 2 versions](#)

Thread migration and its **applications** in distributed **shared** memory systems1

A Itzkovitz, A Schuster, L Shalev - Journal of Systems and Software, 1998 - Elsevier  
 ... In this model, components of an **application** communicate using a virtually **shared** memory. **Local**  
 and remote data accesses are carried in a way transparent to the programmer ... This makes DSM  
**applications** both easier to develop and more portable (across DSM architectures ...  
 Cited by 199 - [Related articles](#) - [All 10 versions](#)

Performance evaluation of two home-based lazy release consistency protocols for **shared** virtual memory systems

psu.edu [PDF]

Y Zhou, L Hsieh, K Li - ACM SIGOPS Operating Systems Review, 1996 - [usenix.org](#)  
 ... pages on their home nodes cause no page faults, non-home nodes can bring their **shared** pages  
 up ... Finally, the compute processor of node 1 receives the diff, applies it to its **local copy**, and  
 continues ... **Applications** could benefit from overlapping these operations with computation ...  
 Cited by 249 - [Related articles](#) - [SL Direct](#) - [All 21 versions](#)

Cashmere-2L: Software coherent **shared** memory on a clustered remote-write network

psu.edu [PDF]

R Stets, S Dworkadas, N Hardavellas, G ... - ACM SIGOPS ... 1997 - [portal.acm.org](#)  
 ... **applications** adhere to the data-race-free programming model [1]. Simply stated, **shared** memory  
 accesses must be protected by locks and ... Initially, **shared** pages are mapped only on their  
 associated home nodes. ... As in Munin, the twin is later used to determine **local** modifications ...  
 Cited by 209 - [Related articles](#) - [SL Direct](#) - [All 43 versions](#)

☒ Create email alert

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

shared applications local copy

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google